L	Hits	Search Text	DB	Time stamp
Number				0000/00/00
-	98	("5586328"	USPAT;	2003/06/09
1		"5655122"	US-PGPUB;	16:39
		"5687341"	EPO; JPO;	!
		"5850452"	DERWENT;	1
1		"5535344"	IBM_TDB	1
		"5862065"		
		"4533956"		i
		"5257215"		
		"5276892"		<u> </u>
		"5668947"		
		"5854935"		
		"5884057"		
		"5896521"		
		"6202204"		
		"6205578"		ļ
		"6223275"		
		"6223275"	į	•
		"6275984"		
["6308322"		İ
ŀ		"6421696" .	į	
		"5671345"		
ŀ				
		"5923882"	1	
1		"5361357"		
		"5375242"		
1		"5396631"		
		"5511198"		ļ
		"5598561"		
<u> </u>		"5613121"		
!		"5713010"		
		"5812828"		
		"5832273"		
		"5838980"		
		"5860008"		
		"6038396"		
		"6068305"		
ŀ		"6202205"		
		"6287765"		
		"6367076"	·	
["6382846"		
		"6161217"	İ	
		"5991538"		
		"4447876"		N.
1		"4574354"		
		"5481751"		
1		"5669011"		
		"5963744"		
		"6002867"		
["4468813"		
		"4519033"		
		"4562305").pn.		
_	154	717/151.ccls.	USPAT;	2003/06/05
	134	717/101.0013.	US-PGPUB;	14:01
			EPO; JPO;	14.01
		·	DERWENT;	
				1
	40	717/152 ggls	IBM_TDB	2002/06/05
-	49	717/152.ccls.	USPAT;	2003/06/05
			US-PGPUB;	14:01
			EPO; JPO;	
	į		DERWENT;	
		/	IBM_TDB	
-	160	717/159.ccls.	USPAT;	2003/06/05
			US-PGPUB;	14:01
	1		EPO; JPO;	i
				į į
1			DERWENT; IBM TDB	

-	45	717/147.ccls.	USPAT;	2003/06/05
			US-PGPUB;	14:02
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	107	717/146.ccls.	USPAT;	2002/06/05
_	197	/1//146.CC1S.		2003/06/05
			US-PGPUB;	15:51
			EPO; JPO;	
			DERWENT;]
			IBM_TDB	
-	0	WO00/28416.ptpn.	USPAT;	2003/06/05
į			US-PGPUB;	15:51
İ			EPO; JPO;	
			DERWENT;	
ļ			IBM TDB	
1	0	W000/28416.ptpn.	USPAT;	2003/06/05
-	U	WOOO/28418.pcpii.		
			US-PGPUB;	15:52
			EPO; JPO;	
	ł		DERWENT;	
	•		IBM_TDB	
-	0	WO00/28416.PTPN.	USPAT;	2003/06/05
			US-PGPUB;	15:52
			EPO; JPO;	
	i		DERWENT;	<u> </u>
			IBM_TDB	
_	161	20000518.ptpd.	USPAT;	2003/06/05
-	101	20000310.pcpa.	US-PGPUB;	15:53
				13:33
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	pct/fr99/02696.pct.	USPAT;	2003/06/05
			US-PGPUB;	15:54
İ			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	"200028416"	USPAT;	2003/06/05
			US-PGPUB;	16:32
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	o	/moductA with /intermediate many		2002/06/05
-		(reduc\$4 with (intermediate near3	USPAT;	2003/06/05
		code\$1)) with (constant) and optimiz\$5	US-PGPUB;	16:39
		and (microprocessor near5 card\$1)	EPO; JPO;	
[DERWENT;	
1			IBM_TDB	
-	13		USPAT;	2003/06/05
1		near3 code\$1)) and optimiz\$5 and	US-PGPUB;	16:40
		(microprocessor near5 card\$1)	EPO; JPO;	[
		· ·	DERWENT;	
[IBM TDB	
<u> </u>	L	L.,		L

-	25	(("5586328"	USPAT;	2003/06/09
		"5655122"	US-PGPUB;	16:07
		"5687341"	EPO; JPO;	
		"5850452"	DERWENT;	
			4	
		"5535344"	IBM_TDB	
l		"5862065"		
		"4533956 "		
		"5257215"		1
ŀ	1	"5276892"		İ
		"5668947"		ì
	İ	"5854935"		
		"5884057"		
		"5896521"		
		"6202204"		
		"6205578"		1
		"6223275"		
		"6223275"		
		"6275984"	1	
		"6308322"		İ
	}	"6421696"		
	1	"5671345"]
	1	"5923882"	1	
			1	
		"5361357"	1	[
	1	"5375242"		
		"5396631"		
	l	"5511198"	1	
		"5598561"		
	1	"5613121"		
				1
		"5713010"		
		"5812828"		
		"5832273"		
		"5838980"		
		"5860008"		
		"6038396"		
	i	"6068305"		
		"6202205"		
]	"6287765"	1	
	ę.	"6367076"		
		"6382846"	İ	
		"6161217"		
		"5991538"		
		333233		
	İ	"4447876"		
		"4574354"		
		"5481751"		[
		"5669011"		
		"5963744"		
		"6002867"	į	
		"4468813"	1	
] ;	1			
		"4519033"		į l
		"4562305").pn.) and 717/\$.ccls.		
-	3	("5142681" "5276821" "5317743").PN.	USPAT	2003/06/09
			1	16:36
_	0	6367076.URPN.	USPAT	2003/06/09
]		33,0,0,0,0,0,0,0,0,0,0	Join	16:38
	o	ontimizes with lintermediate add	HCDAT.	1
-	ا	optimiz\$5 with (intermediate adj	USPAT;	2003/06/10
		program\$1) and (identical near5	US-PGPUB;	08:57
ļ l		sequence\$1 near5 instruction\$1)	EPO; JPO;	
			DERWENT;	
			IBM TDB	j l
_	l o	eliminat\$5 with (identical near5	USPAT;	2003/06/10
[ا			08:54
		sequence\$1 near5 instruction\$1)	US-PGPUB;	00:34
			EPO; JPO;	
			DERWENT;	
			IBM TDB	l l
_	l o	optimiz\$5 with (intermediate adj	USPAT;	2003/06/10
ļ l		program\$1) and (identical with sequence\$1	US-PGPUB;	08:53
				00.33
		with instruction\$1)	EPO; JPO;	
			DERWENT;	
1			IBM TDB	
		· · · · · · · · · · · · · · · · · · ·		·

- 4	eliminat\$5 with (identical with sequence\$1 with instruction\$1)	USPAT; 2003/06/10 US-PGPUB; 08:54 EPO; JPO;	
_ 9	optimiz\$5 with (intermediate adj	DERWENT; IBM_TDB USPAT; 2003/06/10	
	program\$1)	US-PGPUB; 08:57 EPO; JPO; DERWENT;	
- 307	optimiz\$5 with (intermediate with program\$1)	IBM_TDB USPAT; 2003/06/10 US-PGPUB; 09:24 EPO; JPO; DERWENT;	
- 0	optimiz\$5 with (intermediate with program\$1) and (smart adj card) and (constant near5 fold\$3)	IBM_TDB USPAT; 2003/06/10 US-PGPUB; 09:25 EPO; JPO; DERWENT;	
- 0	optimiz\$5 with (intermediate with program\$1) and (chip with card) and (constant with fold\$3)	IBM_TDB USPAT; 2003/06/10 US-PGPUB; 09:25 EPO; JPO; DERWENT; IBM_TDB	
0	optimiz\$5 with (intermediate with program\$1) and (chip with card) and (k with fold\$3)	USPAT; 2003/06/10 US-PGPUB; 09:25 EPO; JPO; DERWENT; IBM TDB	
- 188	(common with (subexpression or expression) with eliminat\$3)	USPAT; 2003/06/10 US-PGPUB; 09:26 EPO; JPO; DERWENT;	
- 87	((common with (subexpression or expression) with eliminat\$3)) and (optimiz\$5 with intermediate)	IBM_TDB USPAT; 2003/06/10 US-PGPUB; 09:27 EPO; JPO; DERWENT;	
0	<pre>((((common with (subexpression or expression) with eliminat\$3)) and (optimiz\$5 with intermediate)) and ((replac\$3 or reduc\$3) with code)) and ((chip with card) or (ATM) or (smart with card))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
- 56	(((common with (subexpression or expression) with eliminat\$3)) and (optimiz\$5 with intermediate)) and ((replac\$3 or reduc\$3) with code)	USPAT; 2003/06/10 US-PGPUB; 11:41 EPO; JPO; DERWENT; IBM TDB	
0	redundancy adj exlining	USPAT; 2003/06/10 US-PGPUB; 11:45 EPO; JPO; DERWENT;	
0	redundancy with exlining	IBM_TDB USPAT; 2003/06/10 US-PGPUB; 11:45 EPO; JPO; DERWENT;	
0	redundancy same exlining	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; LDM_TDB	
О	redundancy and exlining	IBM_TDB USPAT; 2003/06/10 US-PGPUB; 12:33 EPO; JPO; DERWENT; IBM TDB	

_	63	peephole adj optimiz\$6	USPAT; US-PGPUB;	2003/06/10
			EPO; JPO;	12.33
			DERWENT;	
			IBM_TDB	
-	6	(peephole adj optimiz\$6) with	USPAT;	2003/06/10
		(intermediate)	US-PGPUB;	13:14
			EPO; JPO;	
İ			DERWENT;	
	-	K\$1folding	IBM_TDB USPAT;	2003/06/10
-	·	Attolating	US-PGPUB;	13:37
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(replac\$5 near5 (identical near5	USPAT;	2003/06/10
		sequence)) with intermediate	US-PGPUB;	13:38
			EPO; JPO;	
			DERWENT; IBM TDB	, , , , , , , , , , , , , , , , , , ,
_	0	(replac\$5 near5 (identical near5	USPAT;	2003/06/10
	I	sequence)) and (optimiz\$6 with	US-PGPUB;	13:39
	1	intermediate)	EPO; JPO;	
			DERWENT;	
		l	IBM_TDB	/
-	119	1 ' -	USPAT;	2003/06/10
	1	sequence))	US-PGPUB; EPO; JPO;	13:39
			DERWENT;	
			IBM TDB	
_	4	((replac\$5 near5 (identical near5	USPAT;	2003/06/10
		sequence))) and (table with (identical	US-PGPUB;	13:40
		near5 sequence))	EPO; JPO;	
		•	DERWENT;	
	748	(reduc\$3 or replac\$3) with (identical	IBM_TDB USPAT;	2003/06/11
-	/40	near5 sequence\$1)	US-PGPUB;	10:09
		nears sequence 1	EPO; JPO;	10,00
			DERWENT;	
			IBM_TDB	
-	16	((reduc\$3 or replac\$3) with (identical	USPAT;	2003/06/11
		near5 sequence\$1)) and (table with code)	US-PGPUB;	10:08
			EPO; JPO; DERWENT;	
	1		IBM TDB	
_	6	("4821183" "5500942" "5652852"	USPĀT	2003/06/11
	1	"5815721" "5852741" "6044450").PN.		09:34
-	0	6263429.URPN.	USPAT	2003/06/11
	20077	/sempress on sempret 631 with	IICDAT.	09:50 2003/06/11
-	30277	(compress\$3 or compact\$3) with intermediate	USPAT; US-PGPUB;	10:08
		Incomediate	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	195	1 ' ' ' '	USPAT;	2003/06/11
		(intermediate near5 (code\$1 or	US-PGPUB;	10:47
		program\$1))	EPO; JPO; DERWENT;	
			IBM TDB	
_	1	((compress\$3 or compact\$3) with	USPAT;	2003/06/11
	1	(intermediate near5 (code\$1 or	US-PGPUB;	10:13
		<pre>program\$1))) and ((reduc\$3 or replac\$3)</pre>	EPO; JPO;	
1		with (identical near5 sequence\$1))	DERWENT;	
			IBM_TDB	0000 (05 (55
-	2		USPAT;	2003/06/11
		<pre>(intermediate near5 (code\$1 or program\$1))) and ((reduc\$3 or replac\$3)</pre>	US-PGPUB; EPO; JPO;	10:14
		same (identical near5 sequence\$1))	DERWENT;	
		Same (Identical hear) Sequence(1)	IBM TDB	
L	I	<u> </u>	L	L

-	7	((compress\$3 or compact\$3) with	USPAT;	2003/06/11
		(intermediate near5 (code\$1 or	US-PGPUB;	10:14
ļ		program\$1))) and (identical near5	EPO; JPO;	1
		sequence\$1)	DERWENT;	
		•	IBM TDB	
_	32	(compact\$3) with (intermediate near5	USPAT;	2003/06/11
		(code\$1 or program\$1))	US-PGPUB;	10:36
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	163	(compress\$3) with (intermediate near5	USPAT;	2003/06/11
		(code\$1 or program\$1))	US-PGPUB;	10:47
		/ / canada a la bandamuta / /	EPO; JPO;]
			DERWENT;	İ
			IBM TDB	
_	12	((compress\$3) with (intermediate near5	USPAT;	2003/06/11
		(code\$1 or program\$1))) and (reduc\$3 with	US-PGPUB;	10:48
		code with size)	EPO; JPO;	
		code with size,	DERWENT;	
			IBM TDB	
_	2	6199128.pn.	USPAT;	2003/06/11
	"	0133120.pm.	US-PGPUB;	14:21
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	2	6308317.pn.	USPAT;	2003/06/11
	_	0000017.511.	US-PGPUB;	14:21
	1		EPO; JPO;	.
			DERWENT;	
			IBM TDB	
_	523	712/245.ccls.	USPAT;	2003/06/12
	323	112/210.0015.	US-PGPUB;	09:07
	1		EPO; JPO;	
			DERWENT;	
			IBM TDB	
	<u> </u>	L	1 2211 100	